




PROJECT TYPE



AT EVERY AGE, ITS PLACE

BATCHES OF CALVES, HEIFERS, AND DRY COWS

031125




<
FLASH ME

ACCESS THE DIFFERENT BATCHES QUICKLY & SAFELY

031125




The calf gate is installed between two posts and allows the farmer to pass safely. It also blocks access to the trough for young animals.



FLASH ME



The headlock manway end is paired, for heifers, with an opening gate that completely blocks access for their safety (BA2088*).



FLASH ME

ACCESS THE DIFFERENT BATCHES QUICKLY & SAFELY

031125




The curved headlock manway provides a 30 cm passage to allow the farmer to move safely, while also allowing an adult animal to feed at the trough.

Access to the batches must be carefully planned to ensure quick and safe movement under all circumstances.

The JOURDAIN range ensures viable and customized solutions for each project.



FLASH ME



HANDLE YOUR GATES SIMPLY & EFFORTLESSLY

031125



BATCH LAYOUT

DESIGNED TO MAKE SCRAPING EASIER

031125



The design of the batches and the planning around gate handling make it very easy to contain the animals in a batch, either at the front or at the back.

Thus, when you want to scrape, you simply move the animals onto the bedded area, and vice versa when it comes to cleaning. In this specific case, the farmer scrapes three times a week, for about an hour each time.



FLASH ME


FOLDING GATES

SANS PERTE DE PLACE.

031125

The gate is hinged on a 2DL clover flange (TR4005*), allowing the movable gate to fold onto the fixed gate to open or close the batch.

Mounted on 102 mm diameter posts with 2DL flanges, ref. TR4005, and SURLOCK® ref. FE3153.



SUPPLEMENTS

STEP AT THE HEADLOCK


031125



A step at the headlock ensures the proper positioning of the cattle and limits contact points with the equipment. This is the secret to a healthy herd and a building that stands the test of time.






The step on the animal side, if prone to buildup, must be cleaned regularly so that the animals are always at the same height at the headlock, ensuring proper locking and smooth operation.





SUPPLEMENTS

INCLINATION & ROD CONNECTION

031125



RECEIVING FITTINGS




FLASH ME

TECHNICAL DATA


BATCH PRINCIPLE

031125



TECHNICAL DATA
HEADLOCK STEP

031125



TECHNICAL DATA

HEADLOCK STEP - DIMENSIONS


031125

	CALVES - 3 to 6 months	Heifers, 8-9 months up to 1 year	Up to 15 months
A	28	28	41
B	38	38	50
C	47	52	62
D	15	15	15
E	40	40	49
F	20	20	20
G	15		
H	20	20	20
I	350		350
J	41		55/60

TECHNICAL DATA

GATES & 2DL CLAMPS

031125



1

2 x BA5054

AVANT DE PORTE AUTOLOCK EX4

4 x TR4005

BRIDE TREFLE 2DL EN ANGLE D.102MM

1 x BA9960

AVANT DE PANNEAU EX4

031125

1 x BA9962

ARRIERE EX4 DE 3/4M L.2.50M

4 x TR2130

POTEAU TREFLE NU D.102MM L.2.13M


2 x BA5010

ARRIERE COURT EX4 L.70CM


2 x FE2021

FERRURE RECEPTION BARRIERE

2



3



[Read our CGU & S](#)

(General Conditions of Use and Safety)



JOURDAIN

N°1 MONDIAL DU TUBULAIRE BOVIN

Project type GAEC DES ROCS

15/21


TECHNICAL DATA


GATES & 2DL CLAMPS


031125

1

SPLIT BATCH




2**OPENING**

3**OPENING**

TECHNICAL DATA

CALF GATE

031125





ATTENTION !

Despite all the care we take in designing our products, with the primary goal of optimal animal welfare and maximum safety, JOURDAIN cannot be held responsible in the event of an accident involving an animal.

Daily knowledge and monitoring of the herd by the farmer remain the most reliable ways to prevent accidents.



JOURDAIN

N°1 MONDIAL DU TUBULAIRE BOVIN

Discover
our products



WWW.JOURDAIN-GROUP.COM